

FortiGate®/FortiWiFi™ 92D

High Performance UTM for Small Networks



The FortiGate/FortiWiFi 92D is compact, cost-effective, all-in-one security appliance that delivers Fortinet's Connected UTM. Ideal for small business, remote, customer premise equipment (CPE) and retail networks, these appliances offer the network security, connectivity and performance you need.

High Performance Network Security

Built on the foundation FortiOS 5, the FortiGate/FortiWiFi 92D provides an integrated set of essential security technologies to protect all of your applications and data. You get advanced threat protection including firewall, application control, IPS, VPN, and web filtering, all from one device that's easy to deploy and manage. With our FortiGuard® security subscription services you'll have automated protection against today's sophisticated threats.

Advanced Features

The FortiGate/FortiWiFi 92D offers beyond the industry's best firewall with the latest in Advanced Threat Protection including Sandboxing and anti-bot protection, Feature Select Options for simplifying configurations and deployments, and Contextual Visibility for enhanced reporting and management.

VDOMs on the FortiGate/FortiWiFi 92D let you segment networks to enable guest and employee access, or protect things like cardholder data. You get the flexibility to match your business needs and meet compliance standards like PCI and HIPAA.

With 16 GB of robust internal storage, the FortiGate/FortiWiFi 92D allows you to implement integrated WAN optimization and web caching to improve user production when securely accessing remote applications and documents.

Enterprise-Class Protection that's Easy to Deploy and Manage

- High performance UTM — firewall, VPN, IPS, application control, web filtering, antivirus, antispam, DLP and more
- Runs on FortiOS 5 — the most powerful security operating system in the world delivers more protection for fighting advanced threats and visibility with deep contextual information
- Reliable internal storage for logging, reporting, web caching and WAN optimization

Key Features & Benefits

| | |
|----------------------|---|
| Unified Security | Multi-threat protection from a single device increases security and lowers costs. |
| Simplified Licensing | Unlimited user licensing and comprehensive features. |
| Built-in Storage | Allows implementation of WAN optimization and web cache, as well as extensive internal logging and reporting. |




FortiCare
Worldwide 24x7 Support
support.fortinet.com




FortiGuard
Threat Research & Response
www.fortiguards.com

FortiGate 92D



FortiWiFi 92D



Interfaces

1. USB Management Port
2. Console Port
3. USB Port
4. 16x GE RJ45 Ports

1. USB Management Port
2. Console Port
3. USB Port
4. 16x GE RJ45 Ports

Install in Minutes with FortiExplorer

The FortiExplorer™ wizard enables you to easily and quickly set up and configure FortiGate platforms with easy-to-follow instructions. The application runs on Windows, Mac OS X desktops and laptops as well as popular mobile devices. Simply connect to the appropriate USB port on the appliance, and be fully protected in minutes.

3G/4G WAN Connectivity

The FortiGate/FortiWiFi 92D includes USB ports that allow you to plug in a compatible third-party 3G/4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability.

Compact and Reliable Form Factor

Designed for small environments, you can simply place the FortiGate/FortiWiFi 92D on a desktop. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Superior Wireless Coverage

A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 92D and provides speedy 802.11n coverage on both 2.4 GHz and 5 GHz bands. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.

Built-in Fan

The FortiGate/FortiWiFi 92D comes with a built-in fan for additional reliability and is suitable for enclosed environment.

HIGHLIGHTS

FortiOS — The World's Most Advanced Security Operating System

- Feature Select**
Instantly fine-tunes the FortiGate based on desired deployment needs using feature presets. Simplifies user administration and configurations while providing flexibility for different deployment modes.
- Contextual Visibility**
Presents critical deep insights into historic or real-time network activities with data on threat details, IPs, users, devices, applications and more. Allows administrators to quickly understand threats and stop them.
- Advanced Security**
Multiple advanced technologies can be coordinated to look for and stop today's blended, targeted or unknown attacks. Efficient packet handling improves performance while lowering latencies and reducing network complexities.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet

Industry Validation

The FortiGate family of physical and virtual appliances has earned more certifications than any other vendor by consistently meeting rigorous third-party standards. Our industry-leading technology provides you with air-tight security which you can safely count on.

World-Class Technical Support and Documentation

Fortinet FortiCare support offerings provide comprehensive global support for all Fortinet products and services. You can rest assured your Fortinet security products are performing optimally and protecting your users, applications, and data around the clock.

More Protection and Better ROI

The FortiGate constantly evolves itself in its mission to provide more value for users. Extended features such as WiFi controller, integrated token server, endpoint control and WAN optimization add more security to organizations without incurring additional cost.

Complete and Real-time Security

Fortinet FortiGuard Subscription Services provide automated, real-time, up-to-date protection against the latest security threats. Our threat research labs are located worldwide, providing 24x7 updates when you most need them.



FortiOS Dashboard — Single Pane of Glass Management


ORDER INFORMATION

| Product | SKU | Description |
|--------------------|----------------|---|
| FortiGate 92D | FG-92D | 16x GE RJ45 ports (2x WAN ports, 14x Switch ports), 16 GB onboard storage. Max managed FortiAPs (Total / Tunnel) 32 / 16. |
| FortiWiFi 92D | FWF-92D | 16x GE RJ45 ports (2x WAN ports, 14x Switch ports), Wireless (802.11a/b/g/n), 16 GB onboard storage. Max managed FortiAPs (Total / Tunnel) 32 / 16. |
| Accessories/Spares | | |
| Rack Mount Tray | SP-RACKTRAY-01 | Rack mount tray for supported products. |
| AC Power Adapter | SP-FG92D-PDC | AC power adapter for FG/FWF-92D |

SPECIFICATIONS

| | FORTIGATE 92D | FORTIWIFI 92D |
|--|---|----------------|
| Hardware Specifications | | |
| GE RJ45 Ports | 16 | 16 |
| USB Ports | 2 | 2 |
| Console (RJ45) | 1 | 1 |
| Wireless Interface | – | 802.11 a/b/g/n |
| Internal Storage | 16 GB | 16 GB |
| System Performance | | |
| Firewall Throughput (1518 / 512 / 64 byte UDP Packets) | 2,000 / 1,000 / 200 Mbps | |
| Firewall Latency (64 byte UDP Packets) | 46 μs | |
| Firewall Throughput (Packets Per Second) | 300 Kpps | |
| Concurrent Sessions (TCP) | 1.5 Million | |
| New Sessions/Sec (TCP) | 22,000 | |
| Firewall Policies | 5,000 | |
| IPSec VPN Throughput (512 byte Packets) | 130 Mbps | |
| Gateway-to-Gateway IPSec VPN Tunnels | 200 | |
| Client-to-Gateway IPSec VPN Tunnels | 1,000 | |
| SSL-VPN Throughput | 170 Mbps | |
| Concurrent SSL-VPN Users (Recommended Maximum) | 200 | |
| IPS Throughput | 950 Mbps | |
| Antivirus Throughput (Proxy Based / Flow Based) | 300 / 700 Mbps | |
| CAPWAP Clear-text Throughput (HTTP) | 1.78 Gbps | |
| Virtual Domains (Default / Maximum) | 10 / 10 | |
| Maximum Number of FortiAPs (Total / Tunnel Mode) | 32 / 16 | |
| Maximum Number of FortiTokens | 100 | |
| Maximum Number of Registered FortiClients | 200 | |
| High Availability Configurations | Active / Active, Active / Passive, Clustering | |
| Dimensions | | |
| Height x Width x Length (inches) | 1.61 x 7.05 x 8.50 | |
| Height x Width x Length (mm) | 41 x 179 x 216 | |
| Form Factor | Desktop | |
| Weight | 1.36 lbs (3.0 kg) | |
| Environment | | |
| Power Required | 100–240V AC, 50–60 Hz | |
| Maximum Current | 110V / 2.54A, 220V / 1.27A | |
| Power Consumption (Average / Maximum) | 27.7 W / 36.4 W | |
| Heat Dissipation | 124.2 (BTU/h) | |
| Operating Temperature | 32–104°F (0–40°C) | |
| Storage Temperature | -31–158°F (-35–70°C) | |
| Humidity | 20–90% non-condensing | |
| Noise Level | 38.8 at 25°C @ 1m (Maximum: 40 dB at 25°C) | |
| Operating Altitude | Up to 7,400 ft (2,250 m) | |
| Compliance | | |
| | FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB | |
| Certifications | | |
| | ICSA Labs: Firewall, IPSec, IPS, Antivirus, SSL VPN | |

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files. IPSec VPN performance is based on 512 byte UDP packets using AES-256+SHA1.

| | GLOBAL HEADQUARTERS | EMEA SALES OFFICE | APAC SALES OFFICE | LATIN AMERICA SALES OFFICE |
|--|---|---|--|---|
|  | Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 Fax: +1.408.235.7737 | 120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510 Fax: +33.4.8987.0501 | 300 Beach Road #20-01 The Concourse Singapore 199555 Tel: +65.6513.3730 Fax: +65.6223.6784 | Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480 |

Copyright© 2014 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.